

報告編號(No.): HTF24C00494

報告日期(DATE): 2024/12/31

頁數(PAGE): 1 of 8

加客來行銷科技股份有限公司(JAKALA MARKETING TECHNOLOGY CO., LTD.)

台北市松山區南京東路三段287號8樓 ( 8F., NO. 287, SEC. 3, NANJING E. RD., SONGSHAN DIST., TAIPEI CITY, TAIWAN )

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

樣品名稱(Sample Description)

樣品包裝/數量(Sample Package/

Quantity)

樣品保存方式(Sample Packaging)

樣品型號(Style/Item No.)

樣品批號(Lot. No.)

樣品材質(Sample Material)

送樣廠商(Sample Submitted By)

送樣廠商地址/電話/聯絡人(Company Add/Tel/Contact Person)

製造日期(Manufacturing Date)

有效日期(Expiry Date)

原產國(Country of Origin)

Menastyl24公分多用途鍋蓋,Menastyl28公分炒鍋蓋

散裝(BULK PACKAGING)/各2pcs;外加螺絲6pcs

常温 (AMBIENT TEMP.)

: NO.1:玻璃, NO.2~5:不鏽鋼

加客來行銷科技股份有限公司 (JAKALA MARKETING TECHNOLOGY CO.,

LTD.)

台北市松山區南京東路三段287號8樓(8F., NO. 287, SEC. 3, NANJING E. RD.,

SONGSHAN DIST., TAIPEI CITY, TAIWAN) / 02-25468963 / Tina

2024/11

法國 (FRANCE)

2024/12/20 收件日(Sample Receiving Date)

2024/12/20 to 2024/12/31 測試期間(Testing Period)

#### 測試需求 (Test Requested)

依據之食品衛生法規為中華民國食品器具容器包裝衛生標準 (112.01.11衛授食字第1111303439號令修正) 。測試項 目與方法請參閱測試結果表格。 (According to Sanitation Standard for Food Utensils, Containers and Packages (MOHW Food No. 1111303439, amended on 2023/01/11) to conduct test. Please refer to the result table(s) for testing item(s).)

測試結果 (Test Results)

請見下一頁。(Please refer to next page(s).)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Term .com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability. for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886 (02)2299 3939 No. 25, Wu Chyuan 7<sup>th</sup> Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



報告編號(No.): HTF24C00494

報告日期(DATE): 2024/12/31

頁數(PAGE): 2 of 8

加客來行銷科技股份有限公司 (JAKALA MARKETING TECHNOLOGY CO., LTD.)

台北市松山區南京東路三段287號8樓 (8F., NO. 287, SEC. 3, NANJING E. RD., SONGSHAN DIST., TAIPEI CITY, TAIWAN)

#### 測試部位敘述(Test Part Description)

No.1 : 透明玻璃 (TRANSPARENT GLASS)
No.2 : 銀色金屬 (SILVER COLORED METAL)
No.3 : 銀色金屬 (SILVER COLORED METAL)
No.4 : 銀色金屬 (SILVER COLORED METAL)
No.5 : 銀色金屬 (SILVER COLORED METAL)

#### 測試結果(Test Results)

測試項目 (Test Item(s))	測試方法 單位 (Method) (Unit)				LOQ/ LOD		結果 (Result)		食品衛 生法規
(Test item(s))	(Metriod)	(01111)	LOD	No.1	No.2	2 (Limit)			
★鉛 / Lead  ★錦 / Cadmium	衛生福利部105.08.04部授食字 第1051901371號公告修正食品 器具、容器、包裝檢驗方法-玻 璃、陶瓷器、施琺瑯之檢驗。/ Method of Test for Food Utensils, Containers and Packages - Test of Glass, Porcelain, and Enameled Products (MOHWU0009.03, MOHW Food No. 1051901371, August 04, 2016).	μg/cm² μg/cm²	0.02	n.d.		1.7			
4%醋酸用量 / Volume of 4% acetic acid used (mL)						-			



報告編號(No.): HTF24C00494

報告日期(DATE): 2024/12/31

頁數(PAGE): 3 of 8

加客來行銷科技股份有限公司 (JAKALA MARKETING TECHNOLOGY CO., LTD.)

台北市松山區南京東路三段287號8樓 (8F., NO. 287, SEC. 3, NANJING E. RD., SONGSHAN DIST., TAIPEI CITY, TAIWAN)

測試項目 (Test Item(s))		單位 (Unit)		結果 (Result)		食品衛 生法規
(Test itelli(s))	(Metriod)	(Ollit)		No.1	No.2	(Limit)
★鉛 / Lead (Pb)	衛生福利部112.11.06衛授食字 第1121901979號公告訂定食品 器具、容器、包裝檢驗方法 - 金 屬合金類(與食品直接接觸面為	%	0.01		n.d.	0.1
★銻 / Antimony (Sb)	金屬合金者)之檢驗。 / Methods of Test for Food Utensils, Containers and Packages- Test of Metal Alloy (the Direct Contact Surface Material with	%	0.01		n.d.	5
★蒸發殘渣-(正庚烷, 25℃, 1小時) / Evaporation residue-(n-Heptane, 25℃, 1 hr)	Food is Metal Alloy) (MOHW Food No. 1121901979 announced, November 06, 2023).	ppm	3		n.d.	90

測試項目 (Toot kem(c))	*******	單位 (Unit)		結果 (Result)		食品衛 生法規
(Test Item(s))	(Method)	(Unit)		No.3	No.4	(Limit)
★鉛 / Lead (Pb)		%	0.01		n.d.	0.1
★銻 / Antimony (Sb)		%	0.01		n.d.	5
★砷-(水, 95°C, 30分鐘) / Arsenic (As)-(water, 95°C, 30 min)	衛生福利部112.11.06衛授食字 第1121901979號公告訂定食品 器具、容器、包裝檢驗方法 - 金 屬合金類(與食品直接接觸面為 金屬合金者)之檢驗。 / Methods of Test for Food Utensils, Containers and Packages- Test	ppm	0.01	n.d.		0.2
★鉛-(水, 95℃, 30分鐘) / Lead (Pb)-(water, 95℃, 30 min)		ppm	0.01	n.d.		0.4
★鎘-(水, 95℃, 30分鐘) / Cadmium (Cd)- (water, 95℃, 30 min)		ppm	0.01	n.d.		0.1
★砷-(0.5%檸檬酸, 60°C, 30分鐘) / Arsenic (As)-(0.5% citric acid, 60°C, 30 min)	of Metal Alloy (the Direct Contact Surface Material with	ppm	0.01	n.d.		0.2
★鉛-(0.5%檸檬酸, 60℃, 30分鐘) / Lead (Pb)- (0.5% citric acid, 60℃, 30 min)	Food is Metal Alloy) (MOHW Food No. 1121901979 announced, November 06,	ppm	0.01	n.d.		0.4
★鎘-(0.5%檸檬酸, 60℃, 30分鐘) / Cadmium (Cd)-(0.5% citric acid, 60℃, 30 min)	2023).	ppm	0.01	n.d.		0.1

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886 (02)2299 3939 f+886 (02)2299 3237 No. 25, Wu Chyuan 7<sup>th</sup> Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



報告編號(No.): HTF24C00494

報告日期(DATE): 2024/12/31

頁數(PAGE): 4 of 8

加客來行銷科技股份有限公司 (JAKALA MARKETING TECHNOLOGY CO., LTD.)

台北市松山區南京東路三段287號8樓 (8F., NO. 287, SEC. 3, NANJING E. RD., SONGSHAN DIST., TAIPEI CITY, TAIWAN)

測試項目 (Test Item(s))	測試方法 (Method)	單位 (Unit)	LOQ/ LOD	結果 (Result)	食品衛 生法規
(Toot nom(o))	(moniou)	(Onit)		No.5	(Limit)
★鉛 / Lead (Pb)	衛生福利部112.11.06衛授食字 第1121901979號公告訂定食品 器具、容器、包裝檢驗方法 - 金 屬合金類(與食品直接接觸面為 金屬合金者)之檢驗。/ Methods of Test for Food Utensils,	%	0.01	n.d.	0.1
★銻 / Antimony (Sb)	Containers and Packages- Test of Metal Alloy (the Direct Contact Surface Material with Food is Metal Alloy) (MOHW Food No. 1121901979 announced, November 06, 2023).	%	0.01	n.d.	5

#### 備註(Note):

- 1. 檢驗報告僅就委託者之委託事項提供檢驗結果,不對產品合法性做判斷。(The test report merely reflects the test results of the consigned matters of the client and is not a certification of the legitimacy of the related products.)
- 2. 本檢驗報告之所有檢驗內容,均依委託事項執行檢驗,如有不實,願意承擔完全責任。(All contents in the test report are conducted according to the customer-specified items. If there is any falsehood, we are willing to take corresponding responsibility.)
- 3. 本報告不得分離或擷錄使用。(The report is invalid if it is partly reproduced or used.)
- 4. mg/kg = ppm; 0.1wt% = 1000 ppm; μg/cm² = microgram per square centimeter
- 5. LOQ = 定量極限,若該測試項目屬於定量分析則以「LOQ」表示; LOD = 偵測極限,若該測試項目屬於定性分析則以「LOD」表示。(LOQ = Limit of Quantification, for quantitative analyses; LOD = Limit of Detection, for qualitative analyses.)
- 6. n.d. = Not Detected (未檢出) = Less than (小於) LOQ/LOD



報告編號(No.): HTF24C00494

報告日期(DATE): 2024/12/31

頁數(PAGE): 5 of 8

加客來行銷科技股份有限公司 (JAKALA MARKETING TECHNOLOGY CO., LTD.)

台北市松山區南京東路三段287號8樓 (8F., NO. 287, SEC. 3, NANJING E. RD., SONGSHAN DIST., TAIPEI CITY, TAIWAN)

- 7. "-" = Not Regulated (無規格值)
- 8. "---" = Not Conducted (未測項目)
- 9. 測試項目名稱旁有★者,為本實驗室通過衛生福利部認證項目。 (The test method marked with ★ is accredited by MOHW.)
- 10. 法規標準值係依據衛生福利部112年01月11日衛授食字第1111303439號令 食品器具容器包裝衛生標準之法規限值。 (The limit value(s) is/are according to "Sanitation Standard for Food Utensils, Containers and Packages (MOHW Food No. 1111303439, amended on 2023/01/11)", Ministry of Health and Welfare of Taiwan.)



報告編號(No.): HTF24C00494

報告日期(DATE): 2024/12/31

頁數(PAGE): 6 of 8

加客來行銷科技股份有限公司 ( JAKALA MARKETING TECHNOLOGY CO., LTD. )


台北市松山區南京東路三段287號8樓 (8F., NO. 287, SEC. 3, NANJING E. RD., SONGSHAN DIST., TAIPEI CITY, TAIWAN)

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位。 \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

### HTF24C00494


## HTF24C00494 NO.1






## HTF24C00494 NO.2

## HTF24C00494 NO.3





This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886 (02)2299 3939 f+886 (02)2299 3237 No. 25, Wu Chyuan 7<sup>th</sup> Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



報告編號(No.): HTF24C00494

報告日期(DATE): 2024/12/31


頁數(PAGE): 7 of 8

加客來行銷科技股份有限公司 ( JAKALA MARKETING TECHNOLOGY CO., LTD. )

台北市松山區南京東路三段287號8樓 (8F., NO. 287, SEC. 3, NANJING E. RD., SONGSHAN DIST., TAIPEI CITY, TAIWAN)

## HTF24C00494 NO.4

## HTF24C00494 NO.5



\*\* 報告結尾 (End of Report) \*\*



報告編號(No.): HTF24C00494

報告日期(DATE): 2024/12/31

頁數(PAGE): 8 of 8

加客來行銷科技股份有限公司 (JAKALA MARKETING TECHNOLOGY CO., LTD.)

台北市松山區南京東路三段287號8樓 (8F., NO. 287, SEC. 3, NANJING E. RD., SONGSHAN DIST., TAIPEI CITY, TAIWAN)

以下為申請廠商委託測試項目、測試方法、定量/偵測極限:

( The information requested from client is shown as below:)

#### HTF24C00494

測試項目	測試方法	LOQ/LOD
(Test Items)	(Method)	LOQ/LOD
★鉛 / Lead  ★錦 / Cadmium	衛生福利部105.08.04部授食字第 1051901371號公告修正食品器具、容器、包裝檢驗方法-玻璃、陶瓷器、施琺瑯之檢驗。 / Method of Test for Food Utensils, Containers and Packages - Test of Glass, Porcelain, and Enameled Products (MOHWU0009.03, MOHW Food No. 1051901371, August 04, 2016).	
★鉛 / Lead (Pb)	,	
★銻 / Antimony (Sb)		
★蒸發殘渣-(正庚烷, 25℃, 1小時) /		
Evaporation residue-(n-Heptane, 25°C, 1 hr)		詳見測試結果之定量/偵測極限。
★砷-(水, 95℃, 30分鐘) / Arsenic (As)-(water, 95℃, 30 min)	113 12 13 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(Please refer to the result table above.)
★鉛-(水, 95°C, 30分鐘) / Lead (Pb)-(water, 95°C, 30 min)	器、包裝檢驗方法 - 金屬合金類(與食品 直接接觸面為金屬合金者)之檢驗。 /	
★鎘-(水, 95°C, 30分鐘) / Cadmium (Cd)- (water, 95°C, 30 min)	Methods of Test for Food Utensils, Containers and Packages- Test of Metal Alloy (the Direct Contact Surface	
★砷-(0.5%檸檬酸, 60°C, 30分鐘) / Arsenic (As)-(0.5% citric acid, 60°C, 30 min)	Material with Food is Metal Alloy) (MOHW Food No. 1121901979	
★鉛-(0.5%檸檬酸, 60°C, 30分鐘) / Lead (Pb)- (0.5% citric acid, 60°C, 30 min)	announced, November 06, 2023).	
★鎘-(0.5%檸檬酸, 60℃, 30分鐘) / Cadmium (Cd)-(0.5% citric acid, 60℃, 30 min)		

測試項目名稱旁有★者,為本實驗室通過衛生福利部認證項目。(The test method marked with ★ is accredited by MOHW.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886 (02)2299 3939 f+886 (02)2299 3237 No. 25, Wu Chyuan 7<sup>th</sup> Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan